




JAW CRUSHER



www.DR-Mining.com

Overview

This series of products are widely used in the **primary crushing** of various **ores and rocks** in various fields such as mining, smelting, building materials, highways, railways, water conservancy and chemical industries.

Suitable for **limestone, iron ore, basalt, granite, river pebbles, gold ore, etc.**

Feed size: 125 mm-1200 mm for raw material.


Output size: 10 mm-350 mm, the discharge port has a limited adjustment range, but a good shape of the end products.

Production capacity: 1-1000 Ton/Hour

Advantage

1. Classic design, using the best manufacturing technology and durable materials;
2. Proper Chamber type design;
3. Convenient and flexible adjustment of the discharge opening;
4. Alternative various jaw plates;
5. Using the most durable bearings;
6. High-quality cast steel movable jaw system assembly.

Structure



Jaw Crusher List

Model	Max. feed size (mm)	Adjusting range of discharge opening (mm)	Processing capacity (ton/hour)	Motor power (kw)	Dimensions (L×W×H) (mm)	Total weight (ton)
PE-150×250	125	10-40	1-3	5.5	720×660×850	0.8
PE-200×300	180	15-50	2-6	7.5	910×750×990	1.2
PE-200×350	180	18-70	3-10	11	1000×870×990	1.5
PE-250×400	210	20-60	5-21	15	1300×1090×1270	2.8
PE-400×600	340	40-100	16-64	30	1730×1730×1630	7
PE-500×750	425	50-100	40-110	55	1980×2080×1870	12
PE-600×750	500	150-200	80-240	55	2070×2000×1920	15.8
PE-600×900	500	65-160	50-160	55	2190×2206×2300	17
PE-750×1060	630	80-140	110-320	110	2660×2430×2800	29
PE-800×1060	640	130-190	130-330	110	2710×2430×2800	29.8
PE-830×1060	650	160-220	150-336	110	2740×2430×2800	30.7
PE-870×1060	660	200-260	190-336	110	2810×2430×2800	31.5
PE-900×1060	685	230-290	230-390	110	2870×2420×2940	33
PE-900×1200	750	95-165	220-380	110	3380×2870×3330	52
PE-1000×1200	850	195-265	315-500	110	3480×2876×3330	55
PE-1200×1500	1020	150-350	400-800	160-220	4200×3300×3500	100.9
PE-1500×1800	1200	220-350	500-1000	280-355	5160×3660×4248	139
PEX-150×750	120	18-48	8-25	15	1200×1530×1060	3.8
PEX-250×750	210	25-60	13-35	22	1380×1750×1540	5.5
PEX-250×1000	210	25-60	16-52	30	1560×1950×1390	7
PEX-250×1200	210	25-60	20-61	37	2140×1660×1500	9.7
PEX-300×1300	250	20-90	16-105	55	2720×1950×1600	15.6

Contact

Lucy



luning@dr-mining.com



+86-15810513327

